

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	flush\$3 same (RAID near5 (idle or inactive or unused or rest\$3 or workless or sleepy or asleep or lazy))	USPAT	OR	OFF	2005/10/19 14:46
S2	16	flush\$3 near10 RAID	USPAT	OR	OFF	2005/10/05 14:41
S3	2	flush\$3 with (RAID near3 (suspend\$3 or idle or inactive or rest\$3 or unuse or lazy))	USPAT	OR	OFF	2005/10/05 14:47
S4	22	flush\$3 same cache same RAID	USPAT	OR	OFF	2005/10/05 14:47
S5	49	flush\$3 same cache same RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:47
S6	255	RAID same flush\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:17
S7	49	RAID same flush\$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:09
S8	261	(711/135).CCLS.	USPAT; USOCR	OR	OFF	2005/10/07 11:13
S9	13	S8 and RAID	USPAT	OR	OFF	2005/10/07 11:10
S10	13	S8 and RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:10
S11	1126	(711/114).CCLS.	USPAT; USOCR	OR	OFF	2005/10/07 11:14
S12	0	("003and6").PN.	USPAT; USOCR	OR	OFF	2005/10/07 11:14
S13	1	S8 and S11	USPAT	OR	OFF	2005/10/07 11:16
S14	104	(physical adj disk\$1) same (logical adj disk\$1) same RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:17

S15	18	(physical adj disk\$1) same (logical adj disk\$1) same RAID same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:27
S16	12	(dirty adj block\$1) same RAID same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:47
S17	0	NRAM same cache same RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:47
S18	6	NRAM near10 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:47
S19	153	NvRAM near10 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:47
S20	37	NvRAM same cache same RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:48
S21	1	(buffer or FIFO or register) near5 ((disk or disc) adj (ID or identifier)) near5 (block near3 (number or identifier))	USPAT	OR	OFF	2005/10/19 14:49
S22	3	(buffer or FIFO or register) near5 ((disk or disc) adj (ID or identifier)) near5 (block near3 (number or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	182	dirty adj flag	USPAT	OR	OFF	2005/10/24 12:30
S2	0	(dirty adj flag) near10 (Nvram)	USPAT	OR	OFF	2005/10/24 12:31
S3	45	(dirty adj flag) near10 cache	USPAT	OR	OFF	2005/10/24 12:31
S4	4	(dirty adj flag) near10 cache near10 flush\$3	USPAT	OR	OFF	2005/10/24 12:33
S5	26	(dirty adj (bit\$1 or status or flag)) near10 cache near10 flush\$3	USPAT	OR	OFF	2005/10/24 12:33